


FRAMUS - DIABLO PRO















FRAMUS - SPITFIRE CUSTOM Cherry Sunburst • Bolt-on • Left-handed version available* • US Swamp Ash body with Tone Chamber System (TCS™) • AAA Flamed Maple or AAA Quilted Maple top • One-piece maple neck with black dots or Maple neck with Rosewood fingerboard and dot inlays • Flamed Maple headstock veneer with mother-of-pearl Framus logo • Scale length: 25,5" (648 mm) • 22 jumbo frets • Plek® Technology used for Guitar Setup • Original Seymour Duncan pickups: SSL-1, SSL-1 (RW/RP), STB-4 • Framus 5-way switch • 1 x Push/pull volume control for humbucker splitting • 1 x tone control • High Polish Finish (Natural, Stain, Sunburst, Blackburst or solid) • Framus locking machine heads • Framus vibrato (by Wilkinson) • Warwick security locks Chrome hardware • Framus low friction nut Weight**: 3,3 kg Framus Nickel Plated Steel strings (.009" - .046") Including Framus "User Kit" and "Premium Line Plus" RockBag® * without extra charge ** rounded off For all Custom Shop options visit our website: www.framus.de

FRAMUS - MORRIGAN PRO

- Bolt-in
- Left-handed version available*
- Basswood body
- Maple neck
- Rosewood fingerboard
- Sharkfin inlays
- Scale length: 25.5"(648mm)
- 22 jumbo frets
- Plek® Technology used for Guitar Setup
- 6-in-line headstock
- Original Seymour Duncan pickups: SH-6 Duncan Distortion™ (neck), SSL-6 RW/RP (middle) and STB-6 (bridge)
- Framus 5-way toggle switch (hum-free in all positions)
- 1 x volume and 1 x tone control
- Solid Satin Finish
- Framus tuners
- Framus Floyd Rose vibrato with locking nut
- Warwick security locks
- Black hardware
- Weight**: 4,2 kg
- Framus Nickel Plated Steel strings (.009" .046")
- Including Framus "User Kit" and "Premium Line Plus" RockBag®

For all Custom Shop options visit our website: www.framus.de



FRAMUS - RENEGADE PRO • Bolt-in • Left-handed version available* • US Swamp Ash body • Ovangkol neck Rosewood fingerboard • Dot inlays • Scale length: 25,5" (648 mm) • 22 jumbo frets • Plek® Technology used for Guitar Setup • Original Seymour Duncan pickups: SH-1 (neck) and SH-4 (bridge) with chrome covers • Framus 3-way switch • 1 x Push/pull volume control for humbucker splitting • 1 x tone control • Natural or Coloured Oil Finish • Framus machine heads • Framus 1-piece bridge (strings through body) • Warwick security locks • Chrome hardware • Framus low friction nut • Weight**: 3,4 kg • Strings: Framus Nickel Plated Steel (.009" - .046") • Including Framus "User Kit" and "Premium Line Plus" RockBag® * without extra charge ** rounded off For all Custom Shop options visit our website: www.framus.de

FRAMUS - RENEGADE CUSTOM



FRAMUS - PANTHERA PRO



FRAMUS - PANTHERA CUSTOM




FRAMUS - PANTHERA STUDIO PRO









Panthera Custom 7-string

Specifications are the same as for the Panthera Custom 6-string with the following changes:

- Original Seymour Duncan pickups for 7-string guitars: SH7-1 (neck), SH7-4 (bridge)
- Tune-o-matic bridge with stop tailpiece for 7-string
- Weight**: 4,3 kg
- Dean Markley Nickel Steel Electric (.009" - .054")
- ** rounded off

Panthera Studio Custom 7-string

Specifications are the same as for the Panthera Studio Custom 6-string with the following changes:

- without inlays
- Original Seymour Duncan pickups for 7-string guitars: SH7-1 (neck), SSL-2 (RW/RP middle), SH7-4 (bridge)
- Tune-o-matic bridge with stop tailpiece for 7-string
- Weight**: 4,4 kg
- Dean Markley Nickel Steel Electric (.009" - .054")
 - ** rounded off

Streetwalker 7-string

Specifications are the same as for the Streetwalker 6-string with the following changes:

- Framus headstock 4+3
- Original Seymour Duncan pickups for 7-string guitars: SH7-1 (neck), SH7-5 (bridge)
- Floyd Rose licensed vibrato with locking nut for 7-string
 Weightett 26 kg
- Weight**: 3,6 kg
- Dean Markley Nickel Steel Electric (.009" - .054")
 ** rounded off
















FRAMUS - MAYFIELD PRO



FRAMUS - MAYFIELD CUSTOM A 首 400 ••• m 100 22 Natural High Polish E3.E3 SHIP THE PARTY NAMED IN madataletes




FRAMUS - AK 1974





FRAMUS - AZ 10 BLONDE



- Archtop Jazz guitar (Set Neck)
- Left-handed version available*
- Selected solid arched Spruce top
- Abalone/Celluloid binding around back, sides and F-holes
- AAA Flamed Maple neck
- Tigerstripe Ebony fingerboard
- Traditional Custom inlays
- Scale length: 24,75" (628 mm)
- Plek® Technology used for Guitar Setup
- 1 MEC Floating Jazz humbucker
- Volume and tone controls (integrated in the pick guard)
- Natural High Polish Finish
- Framus locking machine heads
- Height adjustable compensating floating Ebony bridge and trapezoid tailpiece
- Framus low friction nut
- Strings: Dean Markley Flatwound Electric Regular (.012" .052")
- Including Framus "User Kit" and "Delux Line" RockCase®
 - * without extra charge ** rounded off
 - Sides and back of solid AAA Flamed Maple with Flamed Maple pick guard, Matched Headstock, weight**: 2,8 kg
 - Sides and back of solid Bubinga Pommelé with Bubinga Pommelé pick guard, Matched Headstock, Weight**: 3,7 kg
 - Sides and back of solid Koa with Koa pick guard, Matched Headstock, Weight**: 3,5 kg
 - Sides and back of solid Macassar with Macassar pick guard, Matched Headstock, Weight**: 3,8 kg

Sides and back of solid AAA Flamed Maple with Flamed Maple pick guard, Matched Headstock, Shellac finish (Natural or Vintage Violin), Weight**: 2,8 kg

For all Custom Shop options visit our website: www.framus.de



FRAMUS - AMPLIFICATION



COBRA HEAD

- 100 watts alltube amp
- 3 channels (Clean, Crunch and Lead)
- Gain, Bass, Middle, Treble and Presence controls for each channel
- Notch switch
- Parallel effects loop
- Effect Mix control
- Deep control to set the amount of low end in the power amp stage
- Master 1 and 2, switchable
- Integrated MIDI interface
- 4, 8 and 16 ohms speaker output impedance, switchable
- Metallic grill front face
- Optional footswitch (FR S4 M) available
- Weight: 21 kg
- Dimensions (W/H/D): 0,72 x 0,28 x 0,26 m

412 COBRA CABINET

- Power rating:
- 100 Watt / 8 ohms / 110dB (mono) or 2 x 50W / 2 x 16 ohms / 107dB (stereo)
- 4 x 12" Celestion G12M Greenback 25 speaker (25W, 8 ohms, 98dB, frequency range 75-5000Hz, resonant frequency 75Hz)
- 2 speakers always serial connected
- 17 mm plywood housing
- Metallic grill front face
- Angled or straight
- Weight: 36 kg (straight), 37 kg (angled)
- Dimensions (W/H/D): 0,74 x 0,74 x 0,36 m

FRAMUS - AMPLIFICATION





• 2 x 12" Celestion Vintage 30 Speaker (power rating 60W, 16 ohms, 100dB, frequency range 70-5000Hz, resonant frequency 75Hz)

212 CABINET

• Power rating: 120 watts / 8 ohms / 106dB

• Dimensions (W/H/D): 0,76 x 0,47 x 0,28 m

Solid Bubinga Pommele housing or 17 mm plywood housing
 Weight: 22 kg (Bubinga Pommele version), 32 kg (Classic Black version)

• Speaker parallel connected

FRAMUS - AMPLIFICATION



FRAMUS - AMPLIFICATION

RUBY RIOT II

- 30-watt, all-tube, Class-A combo
- 1 x 12" Celestion Vintage 30 speaker (60W, 16 ohms, 100dB, frequency range 70-5000Hz, resonant frequency 75Hz)
- 1 x 12" Celestion G12M Greenback 25 speaker (25W, 16 ohms, 98dB, frequency range 75-5000Hz, resonant frequency 75Hz)
- Speaker parallel connected
- 4/8 ohms switch
- 105dB
- Clean channel with bass, mid, treble and volume controls
- Crunch channel with bass, mid, treble, gain and master controls for hot-rodded, British Class-A sounds
- Integrated Accutronics spring reverb
- Integrated Tremolo with depth and speed controls
- Parallel effects loop
- Available in Classic Black and Ruby Red
- Optional footswitch (FR S2 L) available
- Weight: 31 kg
- Dimensions (W/H/D): 0,76 x 0,54 x 0,28 m







112 CABINET

- Power rating: 100 watts
- 1 x 12" Celestion G12T-100 "Hot 100" speaker (100 watts, 8 ohms, 97dB, frequency range 80-5000Hz, resonant frequency 86Hz)
- 1 x 1/4" input
- 17 mm thick plywood housing, coated with black Tolex
- Rear side open
- Leather handle
- Rubber feet
- Weight: 13 kg
 - Dimensions (W/H/D): 0,59 m x 0,44 m x 0,33 m

FRAMUS - PROMOTION Framus jeans jacket for women sizes S, L Baseball cap with Framus logo Framus neon light Framus jeans jacket for men sizes M, L, XL, XXL backside Framus poloshirt / t-shirt sizes S, M, L, XL, XXL Framus/Warwick calendar 2008 Framus Vintage book, 192 pages German Edition Framus coffee cups ISBN 978-3-940448-00-2 English Edition 2008 ISBN 978-3-940448-01-9 The complete assortment is available at http://shop.framus.de

FRAMUS MUSEUM



John Lennon owned a Framus instrument, Rolling Stones bassist Bill Wyman as well as Peter Kraus or the musicians Jim Hall, Attila Zoller, Charles Mingus, Jan Akkerman, Eberhard Weber and Volker Kriegel. The legendary brand of Bubenreuth has written history in the European manufacturing of music instruments starting in 1946: Triumph- or Star Bass, Hollywood, Jan Akkerman or AZ-10 – these model names became terms in the world of music.





We are presenting the company history of the Framus Factories Bubenreuth. Instruments, background information and technical innovations of Europe's biggest music instrument manufacturer at that time.



Framus Museum

Adorfer Straße 25, 08258 Markneukirchen / Germany Phone: +49 (0) 37422 / 555 400 E-Mail: service@framus-vintage.de

Opening hours: Tuesday-Sunday: 10:00 a.m. – 6:00 p.m.

You will find the Framus Vintage archive as well as further information concerning the museum under:

http://www.framus-vintage.de

PLEK® TECHNOLOGY: PERFECT FRET DRESSING FOR EVERY FRAMUS® GUITAR



Through the use of PLEK technology every Framus guitar receives a perfect factory setup.

Precise measuring techniques scan the neck on 132 measuring points (22 frets), basically every possible playing position on a guitar. The measurement is done with an exactly calculated pressure that simulates string tension, and the necessary neck relief is taken into account during this procedure.

The dressing process does not take place as usual where all frets are leveled in one go; with the Plek procedure every necessary fret correction is sanded individually according to the measurements. The fret's crown is preserved even after the dressing process. The end result is a perfectly leveled fret plane, defined string action and optimal playing comfort.

- Computer-aided fret dressing
- Dressing process with string tension simulation
- 1/100th mm sanding process
- Precise fret crowning
- Defined string action
- Optimal playing comfort

Headquarters: Branches: Warwick GmbH&Co.Music Equipment KG • Gewerbepark 46 • 08258 Markneukirchen / Germany • E-Mail: info@warwick.de
Dubendorf / Switzerland • info@warwick.ch • Praha / Czech & Slovakia Republic • info@warwick.cz • Warsaw / Poland •
info@warwick.pl • Manchester / Great Britain • info@warwickbass.co.uk • Shanghai / P.R.China • info@warwick.cn

Visit us on the World Wide Web: http://www.framus.de • http://www.framus-vintage.de

